
DFU09 END TRUCK

For single and double girder cranes



structural integrity of the frame and load placement, and it does not take into account permissible wheel loading or bearing life. SG load placement is at the center, and DG load placement is for a trolley gage of 1200 mm [47 1/4"].

The permissible dynamic wheel load listed is based on assumptions that the bridge speed is 40 m/min [130 fpm], end truck duty is Fem 2m, and the runway rail as listed.

The actual wheel load should not exceed the permissible wheel load. If the permissible dynamic wheel load is greater than the maximum dyn wheel load, then the actual wheel load cannot exceed maximum dyn wheel load.

Dynamic wheel = 1.15 x static wheel load

		SG		DG		Perm dyn whl load		
SS	Н	H1	WT	Max dyn whl load	WT	Max dyn whl load	ASCE 30	ASCE 40
[in] (mm)	[in]	[in]	[lb]	[lb]	[lb]	[lb]	[lb]	[lb]
49.21 (1250)	4.72	0.39	117	6300			4838	5558
63 (1600)	4.72	0.39	132	5175	148	6300	4838	5558
78.74 (2000)	4.72	0.39	152	4050	165	6300	4838	5558

도

L = SS + 10.87" + 2*L1

Available only with ductile iron wheel.

UU = 2"...2 3/4"

End truck is compatible with the GES3 gear motor and can be equipped with a second gear motor when requested.

If the crane speed is faster, the duty group is more severe, or the actual runway rail is narrower, then the maximum allowable dynamic wheel load must be re-evaluated.

Suitable buffers						
Code	D1 [in]	L1 [in]				
Α	2.48	2.09				
В	3.15	2.68				
С	3.94	3.35				
K	3.15	3.15				
G	3.94	3.94				
Е	3.94	5.91				
A, B, C: Rubber						
K, G, E: Polyurethance						

3.15

UU

3.15

ETTVPH Design	ETTPSU Chd	Appd	Ref Drawing	ECL09	
2008-02-04 Date	END CARRI		€		
SLEQDOCV Owner Dept	DFU09		1:6 Folder		
DEMAG					ECL09
DEW <u>IAG</u>	D005064-B				

D005064-B_1 ECL09

This document is the absolute property of Demag Crane & Components Corp.

This document must not be copied without the written permission of Demag Crane & Components Corp.

The contents thereof must not be disclosed to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.